

## Flexible Conduit And Fittings Cross Reference Charts



## Index

Rhinoflex Flexible Conduit and Terminators	Page 2
NM2 Spiral Flexible Conduit and Terminators.	Page 3
Nylon Corrugated Conduit and Terminators.	Page 4
VJC Conduit and Terminators	Page 5
Liquidtight Conduit Comparison Chart	Page 6
Liquidtight Conduit Comparison Chart	Page 7

# Rhinoflex Flexible Conduit and Terminators

L&C Part No	Flexicon Part No	Adaptaflex Part No	T&B Part No	EC&M (Ramflex) Part No	Image
<b>Black Rhinoflex Conduit.</b>					
NM016-B-30	LPC16B-30M	RF16/BL/30M	LTC016-B	180.012	
NM020-B-30	LPC20B-30M	RF20/BL/30M	LTC020-B	180.016	
NM025-B-30	LPC25B-30M	RF25/BL/30M	LTC025-B	180.021	
NM032-B-30	LPC32B-30M	RF32/BL/30M	LTC032-B	180.026	
NM040-B-30	LPC40B-30M	-	LTC040-B	180.035	
NM050-B-15	LPC50B-30M	-	LTC050-B	180.040	
<b>Orange Rhinoflex Conduit.</b>					
EFNM016-O-30	LPC16O-30M	RF16/OR/30M	LTC016-O	178.012	
EFNM020-O-30	LPC20O-30M	RF20/OR/30M	LTC020-O	178.016	
EFNM025-O-30	LPC25O-30M	RF25/OR/30M	LTC025-O	178.021	
EFNM032-O-30	LPC32O-30M	RF32/OR/30M	LTC032-O	178.026	
EFNM040-O-30	LPC40O-30M				
EFNM050-O-30	LPC50O-30M				
EFNM063-O-30	LPC63O-30M				
<b>Green Rhinoflex Conduit.</b>					
NMXOR016GN-30	LPC16GN-30M	RF16/GN/30M	-	172.012	
NMXOR020GN-30	LPC20GN-30M	RF20/GN/30M	-	172.016	
NMXOR025GN-30	LPC25GN-30M	RF25/GN/30M	-	172.021	
NMXOR032GN-30	LPC32GN-30M	RF32/GN/30M	-	172.026	
<b>Grey Rhinoflex Conduit.</b>					
NM016-G-30	LPC16GY-30M				
NM020-G-30	LPC20GY-30M	RF20/GR/30M	LTC020-G	171.016	
NM025-G-30	LPC25GY-30M	RF25/GR/30M	LTC025-G	171.021	
NM032-G-30	LPC32GY-30M				
NM040-G-30					
NM050-G-15					
NM063-G-15					
<b>Straight Terminator. (Ip67)</b>					
NMCM-16	MPC-16-M16B	RF16/M16/ABL	-	-	
NMCM-16/20	MPC-16-M20B	RF16/M20/ABL	LT16P-ISO20	943.012	
NMCM-20	MPC-20-M20B	RF20/M20/ABL	LT20P-ISO21	943.016	
NMCM-25	MPC-25-M25B	RF25/M25/ABL	LT25P-ISO25	943.021	
NMCM-32	MPC-32-M32B	RF32/M32/ABL	LT32P-ISO32	943.026	
NMCM-40	MPC-40-M40B	-	LT40P-ISO40	943.035	
NMCM-50	MPC-50-M50B	-	LT50P-ISO50	-	
<b>90° Terminator. (Ip67)</b>					
NMCM-16/20-90	MPC90-16-M20B	RF16/M20/C90/BL	LT916M-ISO20	947.012	
NMCM-20-90	MPC90-20-M20B	RF20/M20/C90/BL	LT920M-ISO20	947.016	
NMCM-25-90	MPC90-25-M25B	RF25/M25/C90/BL	LT925M-ISO25	947.021	
NMCM-32-90	MPC90-32-M32B	RF32/M32/C90/BL	LT932M-ISO32	947.026	
NMCM-40-90	MPC90-40-M40B				
NMCM-50-90	MPC90-50-M50B	-	-	947.035	
<b>Straight Terminator. (Ip67/8)</b>					
LC-16-B	LPC16-M16-C	-	-	-	
LC-16/20-B	LPC16-M20-C	-	LT16M-ISO20	-	
LC-20-B	LPC20-M20-C	-	LT20M-ISO20	-	
LC-25-B	LPC25-M25-C	-	LT25M-ISO25	-	
LC-32-B	LPC32-M32-C	-	LT32M-ISO32	-	
<b>90° Terminator. (Ip67/8)</b>					
LC-16-90-B	LPC16-M16-C90	-	-	-	
LC-16/20-90-B	LPC16-M20-C90	-	LT916M-ISO20	-	
LC-20-90-B	LPC20-M20-C90	-	LT920M-ISO20	-	
LC-25-90-B	LPC25-M25-C90	-	LT925M-ISO25	-	
LC-32-90-B	LPC32-M32-C90	-	LT932M-ISO32	-	

# NM2 Spiral Flexible Conduit and Terminators.

L&C Part No	Flexicon Part No	Adaptaflex Part No	T&B Part No	EC&M (Ramflex) Part No	Image
<b>Spiral Flexible Conduit.</b>					
NM2012-B-30	FPC12B-30M	XF12/30M	EFC012-B	150.010	
NM2016-B-30	FPC16B-30M	XF16/30M	EFC016-B	150.012	
NM2020-B-30	FPC20B-30M	XF20/30M	EFC020-B	150.016	
NM2025-B-30	FPC25B-30M	XF25/30M	EFC025-B	150.022	
NM2032-B-30	FPC32B-30M	XF32/30M	EFC032-B	150.028	
NM2040-B-30	FPC40B-30M	XF40/30M	EFC040-B	150.035	
NM2050-B-15	FPC50B-30M	XF50/30M	EFC050-B	150.040	
NM2063-B-15	FPC63B-30M	X	EFC063-B	150.050	
<b>STRAIGHT TERMINATOR. (IP67)</b>					
	MPC-12-M16B	XF12/M16/D		952.010	
NMCM-16	MPC-16-M16B	XF16/M16/D		952.012	
NMCM-16/20	MPC-16-M20B	XF16/M20/D	LT16P-ISO20		
NMCM-20	MPC-20-M20B	XF20/M20/D	LT20P-ISO21	952.016	
NMCM-25	MPC-25-M25B	XF25/M25/D	LT25P-ISO25	952.022	
NMCM-32	MPC-32-M32B	XF32/M32/D	LT32P-ISO32	952.028	
NMCM-40	MPC-40-M40B	XF40/M40/D	LT40P-ISO40	952.035	
NMCM-50	MPC-50-M50B	XF50/M50/D	LT50P-ISO50	952.040	
<b>90° TERMINATOR. (IP67)</b>					
NMCM-16-90	MPC90-16-M16B	XF16/M16/C90		972.012	
NMCM-16/20-90	MPC90-16-M20B	XF16/M20/C90	LT916M-ISO20		
NMCM-20-90	MPC90-20-M20B	XF20/M20/C90	LT920M-ISO20	972.016	
NMCM-25-90	MPC90-25-M25B	XF25/M25/C90	LT925M-ISO25	972.022	
NMCM-32-90	MPC90-32-M32B	XF32/M32/C90	LT932M-ISO32	972.028	
NMCM-40-90	MPC90-40-M40B				

# Nylon Corrugated Conduit and Terminators.

L&C Part No	Flexicon Part No	Adaptaflex Part No	Kopex Part No	Harnessflex Part No	T&B Part No	EC&M (Ramflex) Part No	Image
<b>NYLON CORRUGATED CONDUIT. (Standard weight)</b>							
CL010-B	FPAS10B	PAFS10/BL	ERB01			GP2 07 N	 (CL Conduit with CLCM Straight Fitting)
CL013-B	FPAS13B	PAFS13/BL	ERB02			GP2 10 N	
CL016-B	FPAS16B	PAFS16/BL	ERB03			GP2 12 N	
CL021-B	FPAS21B	PAFS21/BL	ERB04			GP2 17 N	
CL028-B	FPAS28B	PAFS28/BL	ERB05			GP2 22 N	
CL034-B	FPAS34B	PACS34/BL	ERB06			GP2 28 N	
CL042-B	FPAS42B	PACS42/BL	ERB07			GP2 35 N	
CL054-B	FPAS54B	PACS54/BL	ERB08			GP2 47 N	
<b>NYLON CORRUGATED CONDUIT. (Light weight)</b>							
CLL010-B	FPAL10B	PAFL10/BL		NC08			 (CL Conduit with CLCM Straight Fitting)
CLL013-B	FPAL13B	PAFL13/BL		NC12			
CLL016-B	FPAL16B	PAFL16/BL	EEB03	NC16 = FPY16B	CCL016-B		
CLL021-B	FPAL21B	PAFL21/BL	EEB04	NC20	CCL020-B		
CLL028-B	FPAL28B	PAFL28/BL	EEB05	NC25 = FPY25B	CCL025-B		
CLL034-B	FPAL34B	PAFL34/BL	EEB06	NC32	CCL032-B		
CLL042-B	FPAL42B	PAFL42/BL	EEB07	NC40	CCL040-B		
CLL054-B	FPAL54B	PAFL54/BL	EEB08	NC50	CCL050-B		
<b>STRAIGHT TERMINATOR. (IP66)</b>							
CLCM10-M12	FPA10-M12B	AL10/M12/A/BL					
CLCM13-M16	FPA13-M16B	AL13/M16/A/BL	YQMB0202		CLCM012	81275	
CLCM16-M16	FPA16-M16B	AL16/M16/A/BL	YQMB0303		CLCM016	81276	
CLCM16-M20	FPA16-M20B	AL16/M20/A/BL			CLCM16-20		
CLCM21-M20	FPA21-M20B	AL21/M20/A/BL	YQMB0404		CLCM020	81278	
CLCM28-M25	FPA28-M25B	AL28/M25/A/BL	YQMB0505		CLCM025	81279	
CLCM34-M32	FPA34-M32B	AL34/M32/A/BL	YQMB0606		CLCM032	81280	
CLCM42-M40	FPA42-M40B	AL42/M40/A/BL			CLCM040		
	FPA42-M50B						
CLCM54-M50	FPA54-M50B	AL54/M50/A/BL			CLCM050		
	FPA54-M63B	AL54/M63/A/BL					
<b>90° TERMINATOR. (IP66)</b>							
CLCM10-M12-90	FPA10-M12-90B						
CLCM13-M16-90	FPA13-M16-90B	AL13/M16/C90/BL	YXMB0202				
CLCM16-M16-90	FPA16-M16-90B	AL16/M16/C90/BL	YXMB0303		CLCM016-90		
CLCM16-M20-90	FPA16-M20-90B	AL16/M20/C90/BL	YXMB0304				
CLCM21-M20-90	FPA21-M20-90B	AL21/M20/C90/BL	YXMB0404		CLCM020-90		
CLCM28-M25-90	FPA28-M25-90B	AL28/M25/C90/BL	YXMB0505		CLCM025-90		
CLCM34-M32-90	FPA34-M32-90B	AL34/M32/C90/BL	YXMB0606		CLCM032-90		
CLCM42-M40-90	FPA42-M40-90B	AL42/M40/C90/BL			CLCM040-90		
CLCM54-M50-90	FPA54-M50-90B	AL54/M50/C90/BL			CLCM050-90		
	FPA54-M63-90B	AL54/M63/C90/BL					

# VJC Conduit and Terminators

L&C Part No	Flexicon Part No	Adaptaflex Part No	T&B Part No	EC&M (Ramflex) Part No	Image
<b>PVC COVERED STEEL CONDUIT</b>					
	FSU10	SP10	FSU10B	250-010	
	FSU12	SP12	FSU12B	250-012	
VJC016-B-50	FSU16	SP16	FSU16B	250-016	
VJC020-B-50	FSU20	SP20	FSU20B	250-020	
VJC025-B-50	FSU25	SP25	FSU25B	250-025	
VJC032-B-50	FSU32	SP32	FSU32B	250-032	
VJC040-B-30	FSU40	SP40	FSU40B	250-040	
VJC050-B-20	FSU50	SP50	FSU50B	250-050	
VJC063-B-20	FSU63	SP63	FSU63B	250-063	
	FSU75	SP75	FSU75B		
<b>FIXED Terminators (Metric &amp; PG threads)</b>					
	FSU10-M12-M	SP10/M12/A			
	FSU12-M16-M	SP12/M16/A	M-FSU12-M16	961-012	
VJCF-16	FSU16-M16-M	SP16/M16/A	M-FSU16-M	961-016	
VJCF-16-M20	FSU16-M20-M	SP16/M20/A	M-FSU16-M20	961-16/20	
VJCF-20	FSU20-M20-M	SP20/M20/A	M-FSU20-M	961-020	
VJCF-25	FSU25-M25-M	SP25/M25/A	M-FSU25-M	961-025	
VJCF-32	FSU32-M32-M	SP32/M32/A	M-FSU32-M	961-032	
	FSU40-M40-M	SP40/M40/A	M-FSU40-M	961-040	
	FSU50-M50-M	SP50/M50/A	M-FSU50-M	961-050	
	FSU63-M63-M	SP63/M63/A	M-FSU63-M		
	FSU75-M75-M	SP75/M75/A			
	FSU10-PG7-M	SP10/PG7/A		961-010	
	FSU12-PG9-M	SP12/PG9/A			
	FSU16-PG11-M	SP16/PG11/A			
	FSU20-PG16-M	SP20/PG16/A			
	FSU25-PG21-M	SP25/PG21/A			
	FSU32-PG29-M	SP32/PG29/A			
	FSU40-PG36-M	SP40/PG36/A			
	FSU50-PG48-M	SP50/PG48/A			
<b>SWIVEL Terminators (Metric &amp; PG threads)</b>					
	FSU10-M12-S	SP10/M12/B	S-FSU10-M		
	FSU12-M16-S	SP12/M16/B		962-012	
VJCF16-SW	FSU16-M16-S	SP16/M16/B	S-FSU16-M	962-016	
VJCF16-M20-SW	FSU16-M20-S	SP16/M20/B	S-FSU16-M20	962-16/20	
VJCF20-SW	FSU20-M20-S	SP20/M20/B	S-FSU20-M	962-020	
VJCF25-SW	FSU25-M25-S	SP25/M25/B	S-FSU25-M	962-025	
VJCF32-SW	FSU32-M32-S	SP32/M32/B	S-FSU32-M	962-032	
VJCF40-SW	FSU40-M40-S	SP40/M40/B	S-FSU40-M	962-040	
VJCF50-SW	FSU50-M50-S	SP50/M50/B	S-FSU50-M	962-050	
VJCF63-SW	FSU63-M63-S		S-FSU63-M		
	FSU10-PG7S	SP10/PG7/B		962-010	
	FSU12-PG9-S	SP12/PG9/B			
	FSU16-PG11-S	SP16/PG11/B			
	FSU20-PG13-S				
	FSU20-PG16-S	SP20/PG16/B			
	FSU25-PG21-S	SP25/PG21/B			
	FSU32-PG29-S	SP32/PG29/B			
	FSU40-PG36-S	SP40/PG36/B			
	FSU50-PG42-S	SP50/PG42/B			

# Liquid Tight Conduit Comparison Chart

L&C Part No	Flexicon Part No	Adaptaflex Part No	Elmako/ Anaconda Part No	T&B Part No	Ramflex Part No	Electriflex Part No	Description
LT016-B*	LTP16B	SPL16/BL	(AEF or AOR) 38	HLT016-B	270-016	LT10/LOR10	16mm Liquid Tight PVC Covered Steel Cond. Black
LT020-B*	LTP20B	SPL20/BL	(AEF or AOR) 12	HLT020-B	270-020	LT11/LOR11	20mm Liquid Tight PVC Covered Steel Cond. Black
LT025-B*	LTP25B	SPL25/BL	(AEF or AOR) 34	HLT025-B	270-025	LT12/LOR12	25mm Liquid Tight PVC Covered Steel Cond. Black
LT032-B*	LTP32B	SPL32/BL	(AEF or AOR) 100	HLT032-B	270-032	LT13/LOR13	32mm Liquid Tight PVC Covered Steel Cond. Black
LT040-B*	LTP40B	SPL40/BL	(AEF or AOR) 114	HLT040-B	270-040	LT14/LOR14	40mm Liquid Tight PVC Covered Steel Cond. Black
LT050-B*	LTP50B	SPL50/BL	(AEF or AOR) 112	HLT050-B	270-050	LT15/LOR15	50mm Liquid Tight PVC Covered Steel Cond. Black
LT063-B*	LTP63B	SPL63/BL	(AEF or AOR) 200	HLT063-B	270-063	LT16/LOR16	63mm Liquid Tight PVC Covered Steel Cond. Black
LT080-B							80mm Liquid Tight PVC Covered Steel Cond. Black
LT100-B							100mm Liquid Tight PVC Covered Steel Cond. Black
<i>Note: * Denotes also available in Grey</i>							
<b>Liquid Tight Straight Brass Terminators</b>							
LC-12-B	LTP12-M16-C	SPL12/M16/M					Brass IP67 16mm Straight Connector 12mm Liquid Tight Cond.
LC-16-B	LTP16-M16-C	SPL16/M16/M	C16/M16	9360-B	920-016	LTCM-B09	Brass IP67 16mm Straight Connector 16mm Liquid Tight Cond.
LC-16/20-B	LTP16-M20-C	SPL16/M20/M	C16/M20	9361-B	920-16/20	LTCM-B10	Brass IP67 20mm Straight Connector 16mm Liquid Tight Cond.
LC-20-B	LTP20-M20-C	SPL20/M20/M	C20/M20	9632-B	920-020	LTCM-B11	Brass IP67 20mm Straight Connector 21mm Liquid Tight Cond.
LC-25-B	LTP25-M25-C	SPL25/M25/M	C25/M25	9363-B	920-025	LTCM-B12	Brass IP67 25mm Straight Connector 25mm Liquid Tight Cond.
LC-32-B	LTP32-M32-C	SPL32/M32/M	C32/M32	9364-B	920-032	LTCM-B13	Brass IP67 32mm Straight Connector 32mm Liquid Tight Cond.
LC-40-B	LTP40-M40-C	SPL40/M40/M	C40/M40	9365-B	920-040	LTCM-B14	Brass IP67 40mm Straight Connector 40mm Liquid Tight Cond.
LC-50-B	LTP50-M50-C	SPL50/M50/M	C50/M50	9366-B	920-050	LTCM-B15	Brass IP67 50mm Straight Connector 50mm Liquid Tight Cond.
LC-63-B	LTP63-M63-C	SPL63/M63/M	C63/M63	9367-B	920-063	LTCM-B16	Brass IP67 63mm Straight Connector 63mm Liquid Tight Cond.
<b>Liquid Tight Straight Steel Terminators</b>							
LC-16				9360			Steel IP67 16mm Straight Connector 16mm Liquid Tight Cond.
LC-16/20				9361			Steel IP67 20mm Straight Connector 16mm Liquid Tight Cond.
LC-20				9662			Steel IP67 20mm Straight Connector 21mm Liquid Tight Cond.
LC-25				9363			Steel IP67 25mm Straight Connector 25mm Liquid Tight Cond.
LC-32				9364			Steel IP67 32mm Straight Connector 32mm Liquid Tight Cond.
LC-40				9365			Steel IP67 40mm Straight Connector 40mm Liquid Tight Cond.
LC-50				9366			Steel IP67 50mm Straight Connector 50mm Liquid Tight Cond.
LC-63				9367			Steel IP67 63mm Straight Connector 63mm Liquid Tight Cond.
<b>Liquid Tight Brass 90 Bends</b>							
	LTP12-M16-C90						
LC-16-90-B	LTP16-M16-C90	SPL16/M16/C90			925-016		Brass IP67 16mm 90 Deg Connector 16mm Liquid Tight Cond.
LC-16/20-90-B	LTP16-M20-C90	SPL16/M20/C90	C16/M20/90A	9351-B	925-16/20	LTCM-B20	Brass IP67 20mm 90 Deg Connector 16mm Liquid Tight Cond.
LC-20-90-B	LTP20-M20-C90	SPL20/M20/C90	C20/M20/90A	9352-B	925-020	LTCM-B21	Brass IP67 20mm 90 Deg Connector 20mm Liquid Tight Cond.
LC-25-90-B	LTP25-M25-C90	SPL25/M25/C90	C25/M25/90A	9352-B	925-025	LTCM-B22	Brass IP67 25mm 90 Deg Connector 25mm Liquid Tight Cond.
LC-32-90-B	LTP32-M32-C90	SPL32/M32/C90	C32/M32/90A	9355-B	925-032	LTCM-B23	Brass IP67 32mm 90 Deg Connector 32mm Liquid Tight Cond.
LC-40-90-B	LTP40-M40-C90	SPL40/M40/C90		9356-B	925-040		Brass IP67 40mm 90 Deg Connector 40mm Liquid Tight Cond.
LC-50-90-B	LTP50-M50-C90	SPL50/M50/C90			925-050		Brass IP67 50mm 90 Deg Connector 50mm Liquid Tight Cond.
LC-63-90-B	LTP63-M63-C90				925-063		Brass IP67 63mm 90 Deg Connector 63mm Liquid Tight Cond.
<b>Liquid Tight Steel 90 Bends</b>							
LC-16-90				9350			Steel IP67 16mm 90 Deg Connector 16mm Liquid Tight Cond.
LC-16/20-90				9351			Steel IP67 20mm 90 Deg Connector 16mm Liquid Tight Cond.
LC-20-90				9352			Steel IP67 20mm 90 Deg Connector 20mm Liquid Tight Cond.
LC-25-90				9353			Steel IP67 25mm 90 Deg Connector 25mm Liquid Tight Cond.
LC-32-90				9354			Steel IP67 32mm 90 Deg Connector 32mm Liquid Tight Cond.
LC-40-90				9355			Steel IP67 40mm 90 Deg Connector 40mm Liquid Tight Cond.
LC-50-90				9356			Steel IP67 50mm 90 Deg Connector 50mm Liquid Tight Cond.
LC-63-90				9357			Steel IP67 63mm 90 Deg Connector 63mm Liquid Tight Cond.

# Liquid Tight Conduit Comparison Chart - Continued

L&C Part No	Flexicon Part No	Adaptaflex Part No	Elmako/ Anaconda Part No	T&B Part No	Ramflex Part No	Electriflex Part No	Description
<b>Liquid Tight Brass 45 Bends</b>							
LC-16-45-B	LTP16-M16-C45	SPL16/M16/C45		9340-B	930-016		Brass IP67 16mm 45 Deg Connector 16mm Liquid Tight Cond.
LC-16/20-45-B				9341-B			Brass IP67 20mm 45 Deg Connector 16mm Liquid Tight Cond.
LC-20-45-B	LTP20-M20-C45	SPL20/M20/C45		9342-B	930-020	LTCM-B31	Brass IP67 20mm 45 Deg Connector 20mm Liquid Tight Cond.
LC-25-45-B	LTP25-M25-C45	SPL25/M25/C45		9343-B	930-025	LTCM-B32	Brass IP67 25mm 45 Deg Connector 25mm Liquid Tight Cond.
LC-32-45-B	LTP32-M32-C45	SPL32/M32/C45		9344-B	930-032	LTCM-B33	Brass IP67 32mm 45 Deg Connector 32mm Liquid Tight Cond.
LC-40-45-B				9345-B			Brass IP67 40mm 45 Deg Connector 40mm Liquid Tight Cond.
LC-50-45-B				9346-B			Brass IP67 50mm 45 Deg Connector 50mm Liquid Tight Cond.
LC-63-45-B				9347-B			Brass IP67 63mm 45 Deg Connector 63mm Liquid Tight Cond.
<b>Liquid Tight Steel 45 Bends</b>							
LC-16-45				9340			Steel IP67 16mm 45 Deg Connector 16mm Liquid Tight Cond.
LC-16/20-45				9341			Steel IP67 20mm 45 Deg Connector 16mm Liquid Tight Cond.
LC-20-45				9342			Steel IP67 20mm 45 Deg Connector 20mm Liquid Tight Cond.
LC-25-45				9343			Steel IP67 25mm 45 Deg Connector 25mm Liquid Tight Cond.
LC-32-45				9344			Steel IP67 32mm 45 Deg Connector 25mm Liquid Tight Cond.
LC-40-45				9345			Steel IP67 40mm 45 Deg Connector 40mm Liquid Tight Cond.
LC-50-45				9346			Steel IP67 50mm 45 Deg Connector 50mm Liquid Tight Cond.
LC-63-45				9347			Steel IP67 63mm 45 Deg Connector 63mm Liquid Tight Cond.
<b>Ferrules/End Caps / Cones / Inserts</b>							
LT-16F	LTP16-E	SPL16/E		02-9360-04		LT-0F	Ferrule 16mm Liquid Tight Cond.
LT-20F	LTP20-E	SPL20/E		02-9362-04		LT-1F	Ferrule 20mm Liquid Tight Cond.
LT-25F	LTP25-E	SPL25/E		02-9363-04		LT-2F	Ferrule 25mm Liquid Tight Cond.
LT-32F	LTP32-E	SPL32/E		02-9364-04		LT-3F	Ferrule 32mm Liquid Tight Cond.
LT-40F	LTP40-E	SPL40/E		02-9365-04		LT-4F	Ferrule 40mm Liquid Tight Cond.
LT-50F	LTP50-E	SPL50/E		02-9366-04		LT-5F	Ferrule 50mm Liquid Tight Cond.
LT-63F	LTP63-E	SPL63/E		02-9367-04		LT-6F	Ferrule 63mm Liquid Tight Cond.
<b>Liquid Tight Brass Female Straight Terminator</b>							
LC-16-FH-B							Brass IP67 16mm Female Connector 16mm Liquid Tight Cond.
LC-20-FH-B							Brass IP67 20mm Female Connector 21mm Liquid Tight Cond.
LC-25-FH-B							Brass IP67 25mm Female Connector 25mm Liquid Tight Cond.
LC-32-FH-B							Brass IP67 32mm Female Connector 32mm Liquid Tight Cond.
LC-40-FH-B							Brass IP67 40mm Female Connector 40mm Liquid Tight Cond.
LC-50-FH-B							Brass IP67 50mm Female Connector 50mm Liquid Tight Cond.

# L&C Industrial Supplies

---



For more Information on Conduits and Fittings

Please Contact L&C Industrial Supplies Pty Ltd

Email: [Sales@Lnc.net.au](mailto:Sales@Lnc.net.au)

Phone: (02) 8678 4029

Fax: (02) 8678 4059

[www.Lnc.net.au](http://www.Lnc.net.au)

Distribution: Unit 2,21 Penny Place, Arndell Park NSW 2148

Mail: PO Box 33 Winston Hills 2153