


Polypropylene Corrugated Loom Tube



CONSTRUCTION:

L&C's corrugated loom tube is an Australian-manufactured polypropylene conduit with a full-length slit for easy post-installation protection of electrical cables and wiring. Made from impact copolymer, it delivers exceptional toughness, durability, and high impact strength and resistance.

L&C Product Code	Internal Diameter (mm)	Outside Diameter (mm)	Roll Length (Mtr)	Temperature Rating (Deg C)	Colour
LTUBE07-nn*	7	10.4	10 / 50 / 100 / 400	-20° C to + 90°C	Black
LTUBE10-nn*	9.7	12.8	10 / 25 / 50 / 100	-20° C to + 90°C	Black
LTUBE13-nn*	12.6	15.7	10 / 25 / 50 / 100	-20° C to + 90°C	Black
LTUBE16-nn*	16.3	20.9	10 / 25 / 50 / 100	-20° C to + 90°C	Black
LTUBE20-nn*	21.1	25.2	10 / 25 / 50 / 100	-20° C to + 90°C	Black
LTUBE23-nn*	23	27	5 / 10 / 25 / 50	-20° C to + 90°C	Black
LTUBE29-nn*	29	33	10 / 25 / 50	-20° C to + 90°C	Black
LTUBE36-nn*	36	42	10 / 25	-20° C to + 90°C	Black
LTUBE48-nn*	48	54	10 / 25	-20° C to + 90°C	Black

* To order quote L&C Product Code and add roll length in metres (-nn), e.g., LTUBE20-50

APPLICATION:

Designed for cost-effective, flexible protection of electrical cables, the loom tube is suitable for industrial, commercial, and automotive environments. It provides lightweight yet robust mechanical protection for wiring in applications where flexibility and resilience are required.

PROPERTIES:

Temperature Rating	-20° C to + 90°C (Maximum Peak Temp: +120° C)
Flammability UL94	HB Rating (<i>V2 flame-retardant version available as a special order</i>)
Weatherability	Moderate UV resistance
Chemical Resistance	Excellent against automotive oils, fluids, and solvents
RoHS status	Compliant

CHARACTERISTICS:

- Extremely durable and long-lasting
- High flexibility combined with superior impact strength
- Lightweight, easy to install, providing effective mechanical protection
- Provides excellent resistance to automotive oils, fluids and solvents
- Manufactured in Australia under ISO9001:2015 certification
- *Note: Halogenated flame-retardant version available as a special order*

Last Updated: 24/02/2026